

- · INTEGRATED DRYWALL & GLAZED PARTITIONING
- · PERFORMANCE DOOR & HARDWARE SYSTEMS
- · TRIMS AND SPECIALTY FINISHES
- · ALLOY STAINLESS
- · SKIRTING SYSTEMS

www.alloy-asia.com



ALLOY TECHNICAL DETAILS

#### **PROFILE**



**ALLOY** <sup>®</sup> is the leading Commercial Partitioning Systems Provider in Asia. Our innovative, spatial partitioning systems are designed to meet the particular needs of office, banking, healthcare and retail environments.

#### **Extensive Product Offering**

**ALLOY**<sup>®</sup> Partitioning Systems is a comprehensive and integrated range of fixed or relocatable systems for:

- Drywall Partitioning
- Doors and Frames
- Glazed Frame Partitioning
- Aluminium skirting and wire way systems.

All suites are completely integrated and interchangeable, allowing design consultants with the opportunity to be totally creative with their design concepts.

#### Service

Our commitment is to provide the highest level of service and complete customer satisfaction. Our Sales Associates and Distributors are always available to assist you in selecting the right system for your requirements. Standard CAD details are also immediately available for download on www.alloy-asia.com.

#### **Product Quality and Finish**

 $ALLOY^{\scriptsize (B)}$  Partitioning Systems are engineered for speed and ease of installation. When installed properly,  $ALLOY^{\tiny (B)}$  provides a crisp and clean finish that accentuates the design space.

Our Systems are designed in close cooperation with Saint-Gobain Thai Gypsum to ensure that acoustic and fire rated performance characteristics are adhered to. **ALLOY** $^{\$}$  systems is certified for use with **Gyproc** $^{\$}$  plasterboard systems.


All our products are finished using a proprietary polymer etched, sandblasted process, and our latest product range is now available in a stunning Linished Stainless Steel finish.

**ALLOY**<sup>®</sup> Hardware is a range of premium door hardware, carefully handpicked to integrate with our partitioning systems, **ALLOY**<sup>®</sup> Hardware comes with an full 5 year guarantee when used with our partitioning systems.



Please contact our Representative Office in your city for a confidential review of your requirements, or simply visit our website on www.alloy-asia.com or www.buildersmart.com

# CONTENT



ALLOY 40 PARTITIONING SYSTEM	3 - 16
ALLOY 80 PARTITIONING SYSTEM	17 - 30
ALLOY 100 PARTITIONING SYSTEM	31 - 46
ALLOY PIVOT DOOR SYSTEM	47 - 58
ALLOY SLIDING DOOR SYSTEM	59 - 68
ALLOY AEROSPAN SYSTEM - ALLOY ELLIPSE SYSTEM	69 - 78
ALLOY DSG PARTITIONING	79 - 82
ALLOY BOXES & BATTENS & DECORATIVE	83 - 98
ALLOY SKIRTING and ALLOY WIRE MANAGEMENT	99 - 104
ALLOY FINISHING	105 - 106
PRODUCT CERTIFICATES	107 - 108
ACCESSORIES	109 - 110
PROJECT REFERENCES	111 - 118








ALLOY  $^{\tiny{(8)}}40$  Glazed Partitioning System modules are separated by slim, vertical aluminium mullions, or alternatively clear dry, transparent PETG joints can be used to create seamless contours.

Our frameless glazed doors, or veneer timber doors combine to provide the designer with an endless variation of minimalist workspace options.


ALLOY <sup>®</sup>40 glass modules with 10mm glass can achieve up to 32 Rw db in accordance with BS 2750: 1980. 12mm glass modules will achieve up to 33 Rw db acoustic performance.



## COMPONENT INDEX ALLOY 40



#### **SECTION DETAIL ALLOY 40**




หมายเหตุ : สินค้าที่มีเครื่องหมาย 🚾 ในรายการ ไม่มีสินค้าในสต๊อก กรุณาติดต่อพนักงานขายก่อนทำการส่งชื่อ


10.25


**CURVE MULLION** 


Remark : For poducts which have sign woo in the list, product out fo stock please contact sale before placing an order.



























## **SECTION DETAIL ALLOY 40**








Product and company names in this catalog may be the registered trademarks of their respective owners, and may not be reproduced, adapted or create derivative works from, without specific written permission. Products displayed in this catalog may be protected by various patents and licenses as applicable.

Rubber Glass


Rubber Glass










## **SECTION DETAIL ALLOY 40**































ALLOY<sup>®</sup> 80 Partitioning Systems are designed to be used in conjunction with Saint Gobain Thai Gypsum, the world's leader in Gypsum Wall and Ceiling Solutions. The use of Gyproc wall solutions with ALLOY<sup>®</sup> ensures maximum sound and fire rating performance in compliance with relevant ASTM and TIS standards.


ALLOY® 80 System's premium quality surface finish is achieved through a proprietary polymer etched, sandblasted process..




# COMPONENT INDEX ALLOY 80





# SECTION DETAIL ALLOY 80





หมายเหตุ : สินค้าที่มีเครื่องหมาย (พาง) ในรายการ ไม่มีสินค้าในสต๊อก กรุณาติดต่อพนักงานขายก่อนทำการส่งชื่อ Remark : For poducts which have sign (พาง) in the list, product out fo stock please contact sale before placing an order.





































Product and company names in this catalog may be the registered trademarks of their respective owners, and may not be reproduced, adapted or create derivative works from, without specific written permission. Products displayed in this catalog may be protected by various patents and licenses as applicable.













ALLOY® 100 is noted for its exceptional performance, strength and acoustical qualities. The system uses a 64mm stud plasterboard construction and is engineered to accommodate 45mm thick, full height 2.8 metre doors.

System strength is obtained through a patented Interlock™ mechanism and a series of concealed screw flutes that fastens the system securely. The overall performance attributes of this system has made it an established specification product amongst designers and specifiers alike.





#### COMPONENT INDEX ALLOY 100








หมายเหตุ : สินค้าที่มีเครื่องหมาย (ครั้ง) ในรายการ ไม่มีสินค้าในสต็อก กรุณาติดต่อพนักงานขายก่อนทำการสิ่งชื่อ Remark : For poducts which have sign (ครั้ง) in the list, product out to stock please contact sale before placing an order.

























Product and company names in this catalog may be the registered trademarks of their respective owners, and may not be reproduced, adapted or create derivative works from, without specific written permission. Products displayed in this catalog may be protected by various patents and licenses as applicable.













































ALLOY $^{\$}$  Pivot Doors are beautifully designed aluminium pivot doors that integrate closely with our partitioning system. Our door panels come in three different stile options - a slim 60mm, standard 70mm and a wide stile 105mm.


ALLOY® Pivot Doors feature smooth profiles with defined edges and square profile beads, and integrate closely with our proprietary European manufactured hardware to allow a wide variety of installation options. ALLOY® Hardware is backed by a full five (5) year guarantee against mechanical failure and degradation of surface finish when used with ALLOY® Pivot Doors.


Whether you're looking for a centre, horizontal, vertical or double pivot door system, ALLOY Pivot Doors can accommodate your complete design requirements. And with our proprietary<sup>®</sup> stainless steel or satin etched surface finish that comes standard with all our products, designers are able to explore unique heights of design finesse with ALLOY<sup>®</sup> systems and solutions.


# ALLOY DOOR SYSTEMS



















































ALLOY



Product and company names in this catalog may be the registered trademarks of their respective owners, and may not be reproduced, adapted or create derivative works from, without specific written permission. Products displayed in this catalog may be protected by various patents and licenses as applicable.



Glass

Alloy Lever Handle

Rubber Glass


40.08A (A.14) (A.01)

Rubber Glass

40.08A (A.14) (A.01)

A4





ALLOY® Sliding Door Systems are beautifully designed aluminium sliding doors that integrate closely with ALLOY® Partitioning Systems. Our door panels come in three different stile options - slim 60mm, standard 70mm and a wide stile 105mm.


ALLOY<sup>®</sup> Sliding Doors feature concealed fixtures and fittings, smooth profiles with defined edges and square profile beads, and integrate closely with our proprietary European manufactured hardware systems to allow a wide variety of installation options. ALLOY<sup>®</sup> Hardware is backed by a full five (5) year guarantee against mechanical failure and degradation of surface finish.


Whether you're looking for a simple top hung sliding door system, an electronic motion sensor system, or a complicated door solution that slides into a glass or solid partition wall, ALLOY® Sliding Doors can accommodate your complete design requirements. And with our proprietary stainless steel or satin etched surface finish that comes standard with all our products, designers are able to explore unique heights of design finesse with ALLOY® systems and solutions.


# ALLOY DOOR SYSTEMS





#### SECTION DETAIL ALLOY SLIDING 60-70
















#### SECTION DETAIL ALLOY SLIDING 60-70





Product and company names in this catalog may be the registered trademarks of their respective owners, and may not be reproduced, adapted or create derivative works from, without specific written permission. Products displayed in this catalog may be protected by various patents and licenses as applicable.







# SECTION DETAIL ALLOY SLIDING 60-70













## SECTION DETAIL ALLOY SLIDING S40








### SLIDING DOOR ACCESSORIES FOR FRAME 80Kg 2 ROLLERS, 2 ADJUSTMENT BOLTS, 2 BRACKETS, 2 BRAKE STOP, 1 BOTTOM GUIDE





#### SLIDING DOOR ACCESSORIES FOR FRAME 80Kg





Glazing Wedge for glass 10 mm.

Available in Black(A.04B), Grey (A.04G) and White (A.04W)

Glazing Wedge for glass 8 mm.

Available in Black(A.04B)+(A.06B), Grey(A.04G)+(A.06G) and White (A.04W)+(A.06W)



Schlegal Door Trim

Available in Grey(A.01)



Rubber Door Seal

Available in Black(A.02B), Grey(A.02G) and White(A.02G)






#### Aerospan


Inspired by the aerodynamic curves of an aeroplane in-flight, the clean curves of the Aerospan glazing system project a modern aesthetic, while offset mounted vertical mullions add visual interest.

#### Ellipse

This relocatable partitioning system captures the strength and performance characteristics of ALLOY® 100, but with a soft look and feel. The rounded features of the Ellipse system makes this system an exciting new alternative for glazed and drywall partition combinations. Both systems utilize patented systems construction to meet the rigorous strength and performance characteristics of ALLOY® Partitioning Systems.

# **ALLOY EVOLUTION**











ALLOY AEROSPAN


ALLOY ELLIPSE SYSTEMS


#### ELEVATION DETAIL ALLOY AEROSPAN






หมายเหตุ : สินค้าที่มีเครื่องหมาย เกา ในรายการ ไม่มีสินค้าในสต๊อก กรุณาติดต่อพนักงานขายก่อนทำการส่งชื่อ Remark : For poducts which have sign เกา in the list, product out fo stock please contact sale before placing an order.













# ELEVATION DETAIL ALLOY AEROSPAN









# COMPONENT INDEX ALLOY ELLIPSE





หมายเหตุ : สินค้าที่มีเครื่องหมาย เกา ในรายการ ไม่มีสินค้าในสต๊อก กรุณาติดต่อพนักงานขายก่อนทำการส่งชื่อ Remark : For poducts which have sign เกา in the list, product out fo stock please contact sale before placing an order.







### COMPONENT INDEX ALLOY ELLIPSE












ALLOY® Front/Double Glazed Partitioning Systems were created to meet the specific aesthetic requirements of an open plan environment, keeping necessary acoustic containment a key factor in the overall design process.

Accommodating glass thicknesses of 8mm or 10 mm, the system is one of the most economical performance glazing systems available in the market today.

# ALLOY DOUBLE GLAZING SYSTENS







#### Accoustic Performance


Accoustic plays an important role in the design of an effective workspace. ALLOY DSG is engineered to allow specialist consultants to effectively manage sound absorption and transmission characteristics of a particular workspace using a combination of sound absorptive and reflective paneling affixed to DSG universal framework.

DSG system also meet stringent sound transmission test, achieving an impressive 42 dB rating for the performance double glazed paneling. and an STC performance exceeding 45 dB for the solid panel system. A qualied export in ALLOY should always be consulted when designing your acoustic requirements for your office workspace.

# ALLOY DOUBLE GLAZING SYSTENS







#### ALLOY® Boxes & Battens.

ALLOY Boxes & Battens are aluminum frames that can be used as boxes or battens. Designed for wall, ceiling and partition blinds. Our products come in various sizes and can be selected in colors that match the design, including wood-look finishes that closely mimic real wood.


#### **ALLOY** ® Decorative

ALLOY® Decorative is s series of trims and angles designed to cap of the junction where two or more surface finishes meet. Decorative trims and available in a wide rang of colored anodized finishes, including antique copper, polished and brushed stainless steel finish.

# ALLOY® BOXES & BATTENS. & DECORTIVE



#### COMPONENT INDEX ALLOY BOXES & BATTEN



หมายเหตุ : สินค้าที่มีเครื่องหมาย เกา ในรายการ ไม่มีสินค้าในสต๊อก กรุณาติดต่อพนักงานขายก่อนทำการส่งชื่อ Remark : For poducts which have sign เกา in the list, product out fo stock please contact sale before placing an order.


SECTION DETAIL ALLOY BOXES & BATTEN

ALLOY BOXES & BATTEN & DECORATIVE SECTIONS




### COMPONENT INDEX ALLOY BOXES & BATTEN












### COMPONENT INDEX ALLOY BOXES & BATTEN









## COMPONENT INDEX ALLOY DECORATIVE

ALU EDGE WOOD DOOR


#### ALLOY AD.03 ALLOY AD.04 ALLOY AD.01-1 ALLOY AD.01 ALLOY AD.02 35.00 45.00 40.00 47.00 25.00 2.60 ALLOY AD.03-1 MTO ALLOY AD.05-1 ALLOY AD.02-1 ALLOY AD.04-1 ALLOY AD.06 42.00 25.00 10.10 8 12.00 2.60 MTO ALLOY AD.06-1 **ALLOY WALL DECORATIVES** ALLOY AW.01 ALLOY AW.02-1 ALLOY AW.02 ALLOY AW.02-2 ALLOY AW.03 ALLOY AW.04 15.00 1.00. 9.00 8 ALLOY AW.07 ALLOY AW.05 ALLOY AW.06 ALLOY AW.06-1 ALLOY AW.08 1.50 12.70 ±0.6 6.00 10.00 12.70 ALLOY **S.01** ALLOY 8.02 SK.08 FB.01 FB.02 12.00

Product and company names in this catalog may be the registered trademarks of their respective owners, and may not be reproduced, adapted or create derivative works from, without specific written permission. Products displayed in this catalog may be protected by various patents and licenses as applicable.


33.00


# ALLOY PLUS & DECORATIVE


## MTO ALLOY JOINT-01





## MTO ALLOY JOINT-02












### MTO ALLOY JOINT-05



MTO ALLOY JOINT I.01




For GLASS 8-10 MM.

#### ALLOY I JOINT 1.02




For GLASS 10-12 MM.

#### ALLOY I JOINT I.03




For GLASS 12 MM.

#### ALLOY L JOINT L.01




For GLASS 8-12 MM.

#### ALLOY T JOINT T.01



For GLASS 8-10 MM.

#### ALLOY T JOINT T.02



For GLASS 10-12 MM.

#### ALLOY I.10 HALF JOINT




For Glass 8-12 MM.


หมายเหตุ : สินค้าที่มีเครื่องหมาย ᠩ ในรายการ ไม่มีสินค้าในสต็อก กรุณาติดต่อพนักงานขายก่อนทำการสั่งชื่อ


Remark : For poducts which have sign ( in the list, product out fo stock please contact sale before placing an order.




#### SECTION COVER EDGE FOR WOOD DOOR









Product and company names in this catalog may be the registered trademarks of their respective owners, and may not be reproduced, adapted or create derivative works from, without specific written permission. Products displayed in this catalog may be protected by various patents and licenses as applicable.































(A4)










(A7)



(A8)















# **ALLOY SKIRTING**

...Add to Beauty in Wall system

Alloy® Skirting comes in three stylish designs — a flat skirting, screw-on profile and our All New Ezy-Fit square profile. All designs are available in 50 mm, 100 mm and 150 mm designs. Alloy® Skirting's premium quality surface finish is achieved through a proprietary polymer etched, sandblasted process.

## **ALLOY SKIRTING SYSTEMS**




# **ALLOY Wire Management**

...Add to Beauty in Wall system

Alloy<sup>®</sup> Wire Management is a 100 mm high double compartment channel with removable cover plate and matching screw-on skirting. Compartments are designed to carry electrical and communications wiring that would normally be otherwise wired inside partitioning walls.

Running the cabling and wiring within the Wire Management compartment ensures easy access to the cabling during and after the completion of an office interior construction.


# COMPONENT INDEX ALLOY SKIRTING




## ALLOY SKIRTING SYSTEMS

STOP END RIGHT

#### SECTION DETAIL ALLOY SKIRTING




#### SECTION DETAIL ALLOY SKIRTING




Product and company names in this catalog may be the registered trademarks of their respective owners, and may not be reproduced, adapted or create derivative works from, without specific written permission. Products displayed in this catalog may be protected by various patents and licenses as applicable.

## ALLOY SKIRTING SYSTEMS

#### SECTION DETAIL ALLOY SKIRTING







# **ALLOY FINISHING**

...Add to Beauty in Wall system


## Powder coating Finishes.

ALLOY<sup>®</sup> is available in a multitude of performance powder coating that has very good scratch resistance properties, and in a wide range of fashionable metallic and pearlescent colours.

Our powder coat colours carry a twenty five year guarantee for interior applications, or a fifteen year guarantee for external finishes.



### **ALLOY FINISHING**



#### **Anodized Finishes**


One of the most distinguishing features of ALLOY® is our surface finish. All our systems are carefully finishes in a polymer etched surface treatment prior to anodizing to a 15-20 micron thickness.

Our latest innovation also includes Stainless Anodizing, a process that converts our natural anodized aluminium product into a luxurious, hairline stainless finish.







ALLOY<sup>®</sup> Partitioning systems has been designed for exclusive use with Thai Gypsum Product which the world's leader in Gypsum Wall and Ceiling Solution. ALLOY<sup>®</sup> System appropriate to use with BPB Gypwall with ensure maximum sound and fire rating performance with ASTM and TIS Standards guarantee.



Customer can select the way in diffirent by color ALLOY<sup>®</sup> System support premium quality finishing by Jotun powder coating Standard which has warantee quality over 10 years for external and 25 years for internal. We have specify in PE-F (Polyester Focade) which the best Standard with Aluminium surface.



## GypWall™ Gypsum Wall System from **©** Thai Gypsum




Product and company names in this catalog may be the registered trademarks of their respective owners, and may not be reproduced, adapted or create derivative works from, without specific written permission. Products displayed in this catalog may be protected by various patents and licenses as applicable.

### **ALLOY ACCESSORIES**

### SLIDING DOOR ACCESSORIES FOR FRAME 80 Kg


2 ROLLERS, 2 ADJUSTMENT BOLTS, 2 BRACKETS, 2 BRAKE STOP, 1 BOTTM GUIDE





### SLIDING DOOR ACCESSORIES FOR GLASS FRAME 80 Kg



















#### • TELECOMMUNICATIONS&TECHNOLOGY

CP-ORANGE TELECOMMUNICATIONS
D-TAC COMMUNICATIONS
EPSON CORPORATION LIMITED
ERICSSON TELECOMMUNICATIONS
HEWLETT-PACKARD (THAILAND) LTD
H.Power
HUTCHISON TELECOMMUNICATIONS
IBM CORPORATION LIMITED
ITV
NOKIA TELECOMMUNICATION NETWORKS
REUTERS GROUP
SAMSUNG ELECTRONICS
TELEKOM MALAYSIA
THAICOM
THE NATION


#### • MOTOR VEHICLE INDUSTRY

BMW
FORD MOTOR COMPANY
FORD BRANCHES
KIA SHOWROOM
MERCEDES BENZ
MITSUBISHI
SIAM KOLAKARN MOTOR
SAAB
SKODA

#### • MULTINATIONALS & OTHERS

ABB
PROCTOR & GAMBLE
Unilever Corporation
ZUELLIG
LOREAL
7-ELEVEN
JOHNNY WALKER
TETRA PAK
JOHNSON & JOHNSON
Q-House
MERCK
GOLDEN LAND
J.WALTER THOMPSON
BURDA RIZZOLI
ALLEN & OVERY
Mobil Oil
Panalpina
PFIZER (THAILAND)
AMWAY
COFFEE BEANS
GIVADON
H.POWER
HEDY
JEBSEN & JESEN
MDK
SITTICHAI DENTAL

Product and company names in this catalog may be the registered trademarks of their respective owners, and may not be reproduced, adapted or create derivative works from, without specific written permission. Products displayed in this catalog may be protected by various patents and licenses as applicable.



#### • BANKING, FINANCE & INSURANCE AACP ..... AIA INTERNATIONAL ..... AJF FINANCIAL ..... AMERICAN EXPRESS ..... AYUDHAYA BANK BANGKOK BANK BANKTHAI ..... CETELEM ..... CREDIT AGRICOLE INDOSUEZ ..... CREDIT SUISSE FIRST BOSTON ..... DEUTCHE BANK ..... FCI ASIA ..... GRANT THORNTON ..... HSBC BANKING CORPORATION ..... ING LIFE INSURANCE ..... ISLAMIC BANK ..... JP MORGAN CHASE ..... KIATNAKIN FINANCE KRUNGTHAI CREDIT CARD ..... KPMG..... KRUNGTHAI AXA ..... KRUNGTHAI BANK..... MERRILL LYNCH ..... NEW YORK LIFE INSURANCE ..... PHATRA LEASING ..... PRICEWATERHOUSE COOPERS ..... SCB BANK BRANCHES ..... SIAM COMMERCIAL BANK ..... SME BANK STANDARD CHARTERED BANK ..... THAI CARDIFF LIFE INS. ..... THAI MILITARY BANK ..... THAI FARMERS BANK ..... TANACHART BANK ..... TISCO ..... UOB BANKING CORPORATION .....

#### DIETHELM TRAVEL CORPORATION ..... LUFTHANSA AIR CARGO ..... EUROPEAN UNION ..... FRENCH EMBASSY..... FEDERAL EXPRESS US EMBASSY..... NEW ZEALAND EMBASSY ..... SRI LANKA AIRLINES ..... MAHIDOL UNIVERSITY..... THAI GERMAN CHAMBER OF COMMERCE CP HEAD OFFICE ..... 7 ELEVEN BRANCH (THE NATION BLD) J.WALTER THOMPSON ..... IDD ..... BROWN FORMEN ..... FRANKE PROJECT ..... EXXON MOBIL ..... SRANKEX ..... WALL STREET ..... DST .....

Unilever .....

• GOVERNMENT & AIRLINES

AUSTRALIAN EMBASSY .....



### @alloy-asia

#### Alloy Solutions Asia Ltd. (Rama III)

905/7 Rama III Rd., Soi 51, Bangpongpang, Yannawa, Bangkok 10120, Thailand

Telephone: +66.2683.4900
Fax: +66.2683.4949
E-mail Address
Sale Department: alloycustomercare@alloysolutions.asia



www.alloy-asia.com